

B40 Installation Diagram







warn:

During the installation process, casualties may occur. To effectively reduce the risk of accidents:

- > No construction or entry to the construction site is allowed without wearing a safety helmet > Construction signs are set up outside the construction site
- > Non-construction personnel are not allowed to enter the construction site at will > Safety ropes and helmets must be worn when working at heights



Electric drill



20m rope




helmet




Herringbone ladder: 3m













• Tools required before installation




• Arrange the quantities of various items in order according to the list before installation



• **List of structural entities**


 A1-1995 (*8)	 A2-2667 (*2)	 A3-3653 (*8)
 A4-3000 (*3)	 A5-2700 (*3)	 A6-3100 (*3)
 A7-2605 (*4)	 A8-800 (*4)	 A9-2600 (*4)
 A10-904 (*2)	 A11-2572 (*2)	 A12-1277 (*4)

• Iron parts list




B1 (*4)


Left and right pieces




B2 (*4)




B3 (*2)



B4 (*4)




B5 (*4)



B6 (*4)

Left and right pieces




B7 (*2)




B9 (*8)


• Accessories list



C1-M5*30(*120)



C2-M5*50(*300)




C3-M5*100(*40)




C4-1(*16)




C4-2(*50)




C4-3(*2)
Customized tensioner



C5 (*8)
Pineapple grid edge strip



C7 (*1)
120m rope



C8-1 (*3)

C8-2 (*4)



C8-3 (*4)

ø16 iron pipe




Aluminum



- **Cloth list**



- **Structural installation**





ÿ
A





Note: All iron parts and log joints are firmly connected with screws

ÿ
B





Note: All iron parts and log joints are firmly connected with screws

ÿ
C






Note: All iron parts and log joints are firmly connected with screws


ÿ
D



Note: All iron parts and log joints are firmly connected with screws.













ÿ

Note: All iron parts and log joints are firmly connected with screws







Note: All iron parts and log joints are firmly connected with screws



- Inner tent installation





- Fly tent installation

